

Where high brightness and low maintenance combine

Reliable, robust and durable, Vivitek projectors ensure peace of mind for installers. No matter how challenging your requirements are, our Large Venue Projector range fits the bill combining superb performance.

The large venue projectors range from 5,000 to 18,000 lumens combined with constant brightness and colour performance. Simplicity and ease of use for installers. The reassurance is with a five-year warranty.





	DU4671Z	DH4661Z	DW4650Z	DU6771	DU5671	DU3341	DH3331	DW3321
	5,500 lm	5,000 lm	5,500 lm	6,500 lm	6,200 lm	5,200 lm	5,000 lm	5,100 lm
	WUXGA	1080p	WXGA	WUXGA	WUXGA	WUXGA	1080p	WXGA

Target & Usage	Application	Corporate meeting room installation						
	Room Size	Mid-Size Meeting Room		Mid to Large Meeting Room		Mid-Size Meeting Room		

TECHNOLOGY

Technology	Light Source	Laser Light Source			Dual-Lamp	Single-Lamp		
	Anti-Dust Sealed Optical Engine	•	•	•	•	•	•	•
	Liquid Cooling System							
	Air Cooling System	•	•	•	•	•	•	•

IMAGE

Image	Customizable Brightness Level & Constant Brightness Function							
	Optional Lens				•	•		
	Fixed Lens	•	•	•			•	•
	Motorized Lens Shift & Focus				•			
	Lens Memory Position				•			
	Manual Lens Shift & Focus	•	•	•		•	•	•
	Corner Correction	•	•	•	•	•	•	•
	Horizontal & Vertical Keystone Corrections	•	•	•	•	•	•	•
	Geometry Corrections / Warping / Curved							
	Built-in Edge Blending							

CONNECTIVITY

Connectivity	HDMI	•	•	•	•	•	•	•
	HDBaseT	•	•		•	•	•	•
	3G-SDI							

FEATURES

Features	NovoConnect Solution Compatibility	•	•	•	•	•	•	•
	DICOM Simulation	•	•	•	•	•	•	•
	Picture-in-Picture	•	•	•	•	•	•	•
	Auto Power Off - No Signal Power Off	•	•	•	•	•	•	•
	Speaker	2x 5W	2x 5W	2x 5W		3W	2x 7W	2x 7W

WARRANTY

Warranty	Warranty on projector	5 years	5 years	5 years	5 years	5 years	3 years	3 years	3 years
----------	-----------------------	---------	---------	---------	---------	---------	---------	---------	---------

DU9800Z PROJECTOR

MOTORIZED LENS RANGE



Lens Type	Ultra Wide Throw	Wide Throw	Short Throw	Long Throw 1	Long Throw 2
Model	D98-0810	D98-1215	D98-1520	D98-2040	D98-4070
Focus / Zoom Type	Motorized				
Zoom	1.22x	1.3x	1.33x	2.0x	1.7x
F Number	1.8 - 1.95	2.18 - 2.66	2.17 - 2.65	2.17 - 2.64	2.2 - 2.57
Focal Length (f)	17.95 - 21.93 mm	25.69 - 33.22 mm	31.9 - 42.2 mm	42.6 - 84.8 mm	83.93 - 146.85 mm
Throw Ratio	0.84 - 1.03:1	1.25 - 1.56:1	1.50 - 2.00:1	2.00 - 4.00:1	4.0 - 7.0:1
Image Size	WUXGA 40" - 500"				
Projection Distance	0.7 - 11.44 m	0.95 - 17.47 m	1.24 - 21.84 m	2.65 - 41.77 m	4.38 - 74.51 m
Order Number	3797805500-SVK	3797859900-SVK	3797886100-SVK	3797893200-SVK	3797858100-SVK
Warranty	1 year				

D6000/D8000 SERIES PROJECTOR

MOTORIZED LENS RANGE



Lens Type	Ultra Short Throw	Ultra Wide Zoom	Wide Fix	Wide Zoom	Standard	Semi Long Zoom	Long Zoom 1	Long Zoom 2	
Model	D88-UST01B	D88-UWZ01	D88-WF18501	D88-WZ01	D88-ST001	D88-SMLZ01	D88-LOZ101	D88-LOZ201	
Focus / Zoom Type	Motorized								
Zoom	Fixed zoom	1.25x	Fixed zoom	1.41x	1.3x	1.65x	1.5x	1.55x	
F Number	2.0	1.96 - 2.3	1.85	1.85 - 2.5	1.7-1.9	1.86-2.48	1.85-2.41	1.85-2.48	
Focal Length (f)	5.64mm	11.3-14.1mm	11.6mm	18.7-26.5mm	26-34mm	32.9-54.2mm	52.8-79.1mm	78.5-121.9mm	
Throw Ratio	4K-UHD	0.377:1	0.75 - 0.94:1	0.76:1	1.26 - 1.79:1	1.73 - 2.27:1	2.22 - 3.69:1	3.58 - 5.40:1	5.34 - 8.36:1
	WUXGA	0.38:1	0.75 - 0.93:1	0.76:1	1.25 - 1.79:1	1.73 - 2.27:1	2.22 - 3.67:1	3.58 - 5.38:1	5.31 - 8.26:1
Image Size	4K-UHD	100" - 350"	40" - 500"	40" - 500"	40" - 500"	40" - 500"	40" - 500"	40" - 500"	
	WUXGA	100" - 350"	40" - 500"	40" - 500"	40" - 500"	40" - 500"	40" - 500"	40" - 500"	
Projection Distance	4K-UHD	0.86 - 2.79 m	0.63 - 10.53 m	0.65 - 8.64 m	1.07 - 19.92 m	1.48 - 25.28 m	1.91 - 41.01 m	3.07 - 60.02 m	4.50 - 93.10 m
	WUXGA	0.85 - 2.74 m	0.62 - 10.36 m	0.64 - 8.50 m	1.05 - 19.59 m	1.45 - 24.85 m	1.87 - 40.33 m	3.01 - 59.02 m	4.42 - 91.54 m
Order Number	3797866500-SVK	3797804200-SVK	3797745100-SVK	3797745200-SVK	3797744200-SVK	3797745000-SVK	3797745400-SVK	3797744900-SVK	
Warranty	1 year								

D5000/D7000Z SERIES PROJECTOR

MANUAL LENS RANGE



Lens Type	Wide Fix	Short Throw	Standard	Standard	Long Throw 1	Long Throw 2
Model	VL904G / LNS-5FX2	VL907G / LNS-5STZ	VL901G / LNS-5SZ1	VL906G / LNS-7SZ1	VL908G / LNS-7LZ1	VL909G / LNS-5LZ2
Focus / Zoom Type	Manual					
Zoom	Fixed Zoom 1x	1.18x	1.25x	1.25x	1.5x	1.67x
F Number	2,5	2.05 - 2.27	2.46 - 2.56	2.0 - 2.09	2.5 - 3.1	2.2 - 2.5
Focal Length (f)	11.46 mm	16.64-19.54mm	22.8-28.5mm	22.8-28.5 mm	28.5-42.75 mm	44.5-74.19 mm
Throw Ratio	0.78:1	1.10 - 1.30:1	1.54 - 1.93:1	1.54 - 1.93:1	1.93 - 2.89:1	3.00 - 5.01:1
Image Size	WUXGA 48" - 298"					
Projection Distance	0.8 - 5 m	1 - 9 m	1.5 - 9.6 m	1.5 - 7 m	2 - 20 m	3 - 20 m
Order Number	5811120818-SVV	5811120054-SVV	5811119236-SVV	5811120865-SVV	5811119237-SVV	5811120055-SVV
Warranty	1 year					